Author Index

Ahmad, S., Singh, B. and Gupta, R.S.
Nucleotide sequences of three different isoforms of β-tubulin cDNA from Chinese hamster ovary cells (1090) 252
Allegra, P., see Caiafa, P. (1090) 38
Andrews, G.K., see De, S.K. (1090) 223
Arezina, J., see Wani, A.A. (1090) 195
Asou, H., see Kobayashi, M. (1090) 238
Azevedo, J.E., see Preis, D. (1090) 133

Barton, P., Collins, A. and Hoogenraad, N.
A variant of glycophorin A resulting from the deletion of exon 4 (1090) 265
Beerman, T.A., Woynarowski, J.M., Sigmund, R.D., Gawron, L.S., Rao, K.E. and Lown, J.W.
Netropsin and bis-netropsin analogs as inhibitors of the catalytic activity of mammalian DNA topoisomerase II and topoisomerase cleavable complexes (1090) 52
Bell, D.R. and Elcombe, C.R.
Regulation of differentially spliced transcripts of acyl-CoA oxidase in the rat (1090) 211
Bellosta, P., see Legname, G. (1090) 119
Benne, R., see Bout, A. (1090) 43
Beutler, B., see Han, J. (1090) 22
Bishop, T.R., see Fujita, H. (1090) 311
Bisson, R., see Rizzuto, R. (1090) 125
Bloemers, S.M., see Coenjaerts, F.E.J. (1090) 61
Blonden, L., see Bout, A. (1090) 43
Boeggeman, E., see Masibay, A.S. (1090) 230
Bout, A., Franse, M.M., Collins, J., Blonden, L., Tager, J.M. and Benne, R.
Characterization of the gene encoding human peroxisomal 3-oxoacyl-CoA thiolase (ACAA). No large DNA rearrangement in a thiolase-deficient patient (1090) 43
Bräuer, C. and Scheit, K.H.
Characterization of the gene for the bovine seminal vesicle secretory protein SVSP109 (1090) 259

Caiafa, P., Reale, A., Allegra, P., Rispoli, M., D'Erme, M. and Strom, R.
Histones and DNA methylation in mammalian chromatin. Differential inhibition by histone H_1 (1090) 38
Campbell, A., see Lin, K.-C. (1090) 317
Capaldi, R.A., see Rizzuto, R. (1090) 125
Carman, G.M., see Gaynor, P.M. (1090) 326
Carney, J.P., see Grabowski, D.T. (1090) 115
Chan, A.P.Y., see Ho, W.K.K. (1090) 245
Chang, T., Lin, C.-L., Chen, P.-H. and Chang, W.-C.
γ-Crystallin genes in carp: cloning and characterization (1090) 261
Chang, W.-C., see Chang, T. (1090) 261
Chen, P.-H., see Chang, T. (1090) 261
Chen, Z., see Woffendin, C. (1090) 81
Chinchetru, M.A., see Yeh, C.-K. (1090) 173
Chopra, A.K., Peterson, J.W. and Prasad, R.
Nucleotide sequence analysis of *pur*H and *pur*D genes from *Salmonella typhimurium* (1090) 351
Chou, T.-M., see Hung, S.-H. (1090) 255
Christophe, D., see Donda, A. (1090) 235
Coats, W.S., see Newgard, C.B. (1090) 333
Coenjaerts, F.E.J., De Vries, E., Pruijn, G.J.M., Van Driel, W., Bloemers, S.M., Van der Lugt, N.M.T. and Van der Vliet, P.C.
Enhancement of DNA replication by transcription factors NFI and NFIII/Oct-1 depends critically on the positions of their binding sites in the adenovirus origin of replication (1090) 61
Collins, A., see Barton, P. (1090) 265
Collins, F., see McDonald, J.R. (1090) 70
Collins, J., see Bout, A. (1090) 43
Collins, S., see Hromas, R. (1090) 241
Conzen, C., see Preis, D. (1090) 133
Copeland, N.G., see Tominaga, S.-i. (1090) 1

Damewood, G.P., see Masibay, A.S. (1090) 230
Dams, E., De Wolf, M. and Dierick, W.
Nucleotide sequence analysis of the CT operon of the *Vibrio cholerae* classical strain 569B (1090) 139
Das, A.T., see Van den Hoff, M.J.B. (1090) 249
De, S.K., Enders, G.C. and Andrews, G.K.
Metallothionein mRNA stability in chicken and mouse cells (1090) 223
Deaven, L., see Hromas, R. (1090) 241
De Kinkelin, P., see Thiry, M. (1090) 345
DeLuca, H.F., see Strom, M. (1090) 299
D'Erme, M., see Caiafa, P. (1090) 38
De Verneuil, H., see Fujita, H. (1090) 311
De Vries, E., see Coenjaerts, F.E.J. (1090) 61
De Wolf, M., see Dams, E. (1090) 139
Dheur, I., see Thiry, M. (1090) 345
Dierick, W., see Dams, E. (1090) 139
Donda, A., Vassart, G. and Christophe, D.
Isolation and characterization of the canine thyroglobulin gene promoter region (1090) 235
Duffus, W.P.H., see Meyer, A.L. (1090) 267

Elcombe, C.R., see Bell, D.R. (1090) 211
Enders, G.C., see De, S.K. (1090) 223
Engel, W., see Klemm, U. (1090) 270
Engleka, K., see Forough, R. (1090) 293
Entler, B., see Hiebl-Dirschmied, C.M. (1090) 123

Feo, S., see Fried, M. (1090) 143
Flake, A., see Klemm, U. (1090) 270
Forough, R., Engleka, K., Thompson, J.A., Jackson, A., Imamura, T. and Maciag, T.
Differential expression in *Escherichia coli* of the α and β forms of heparin-binding acidic fibroblast growth factor-1: potential role of RNA secondary structure (1090) 293
Franse, M.M., see Bout, A. (1090) 43
Frappier, L., see Pearson, C.E. (1090) 156
Frenkel, R.A., see Newgard, C.B. (1090) 333
Fried, M., Feo, S. and Heard, E.
The role of inverted duplication in the generation of gene amplification in mammalian cells (1090) 143

Fujita, H., Yamamoto, M., Yamagami, T., Hayashi, N., Bishop, T.R., De Verneuil, H., Yoshinaga, T., Shibahara, S., Morimoto, R. and Sassa, S.
Sequential activation of genes for heme pathway enzymes during erythroid differentiation of mouse Friend virus-transformed erythroleukemia cells (1090) 311
Fukazawa, C., see Shimano, H. (1090) 91
Fullekrug, J., see Green, S.R. (1090) 277

Gawron, L.S., see Beerman, T.A. (1090) 52
Gaynor, P.M., Gill, T., Toutenhoofd, S., Summers, E.F., McGraw, P., Homann, M.J., Henry, S.A. and Carman, G.M.
Regulation of phosphatidylethanolamine methyltransferase and phospholipid methyltransferase by phospholipid precursors in *Saccharomyces cerevisiae* (1090) 326
Geerts, W.J.C., see Van den Hoff, M.J.B. (1090) 249
Gilbert, D.J., see Tominaga, S.-i. (1090) 1
Gill, T., see Gaynor, P.M. (1090) 326
Glotzmann, C., see Hiebl-Dirschmied, C.M. (1090) 123
Grabowski, D.T., Carney, J.P. and Kelley, M.R.
An adult male specific gene in *Drosophila* containing the repetitive element *opa* (1090) 115
Graf, T., see Nakano, T. (1090) 273
Green, S.R., Fullekrug, J., Sauer, K. and Tuite, M.F.
Isolation and characterisation of a bovine cDNA encoding eukaryotic initiation factor 2α (1090) 277
Gromo, G., see Legname, G. (1090) 119
Grootjans, J.J., see Kraakman, L.S. (1090) 204
Gupta, R.S., see Ahmad, S. (1090) 252
Guy, K., see Middleton, P.G. (1090) 109

Han, J., Beutler, B. and Huez, G.
Complex regulation of tumor necrosis factor mRNA turnover in lipopolysaccharide-activated macrophages (1090) 22
Hayashi, N., see Fujita, H. (1090) 311
Heard, E., see Fried, M. (1090) 143
Heby, O., see Stjernborg, L. (1090) 188
Henry, S.A., see Gaynor, P.M. (1090) 326
Hentze, M.W.
Determinants and regulation of cytoplasmic mRNA stability in eukaryotic cells (1090) 281
Hiebl-Dirschmied, C.M., Entler, B., Glotzmann, C., Maurer-Fogy, I., Stratowa, C. and Prohaska, R.
Cloning and nucleotide sequence of cDNA encoding human erythrocyte band 7 integral membrane protein (1090) 123
Hirai, H., Takahashi, N., Natori, S. and Sekimizu, K.
Binding of simian virus 40 large tumor antigen to phospholipid vesicles (1090) 305
Ho, W.K.K., Wong, M.-W. and Chan, A.P.Y.
Cloning and sequencing of the grass carp (*Ctenopharyngodon idellus*) growth hormone gene (1090) 245
Holm, I., see Stjernborg, L. (1090) 188
Homann, M.J., see Gaynor, P.M. (1090) 326
Hoogenraad, N., see Barton, P. (1090) 265
Hromas, R., Collins, S., Raskind, W., Deaven, L. and Kaushansky, K.
Hem-1, a potential membrane protein, with expression restricted to blood cells (1090) 241
Huang, P.C., see Hung, S.-H. (1090) 255
Huez, G., see Han, J. (1090) 22
Hughes, S.D., see Newgard, C.B. (1090) 333
Hung, S.-H., Yu, C.-W., Chou, T.-M., Huang, P.C. and Lin, L.-Y.
Molecular cloning of Chinese hamster metallothionein II gene and its 5′ flanking region (1090) 255

Ibarra, C., see Martial, S. (1090) 86
Ibi, T., see Ohno, K. (1090) 9
Ikeda, S., see Tada, M. (1090) 29
Imamura, T., see Forough, R. (1090) 293
Ino, H., see Ohno, K. (1090) 9
Izumi, S., see Mori, S. (1090) 129

Jackson, A., see Forough, R. (1090) 293
Jenkins, N.A., see Tominaga, S.-i. (1090) 1
Jhiang, S., see Yaneva, M. (1090) 181
Johnston, J.M., see Newgard, C.B. (1090) 333

Kanamori, T., see Morishita, H. (1090) 216
Katsuki, M., see Shimano, H. (1090) 91
Kaushansky, K., see Hromas, R. (1090) 241
Kaziro, Y., see Kumazawa, Y. (1090) 167
Keen, J.N., see Legname, G. (1090) 119
Kelley, M.R., see Grabowski, D.T. (1090) 115
Klemm, U., Flake, A. and Engel, W.
Rat sperm acrosin: cDNA sequence, derived primary structure and phylogenetic origin (1090) 270
Ko, C., see McDonald, J.R. (1090) 70
Kobayashi, M., Miura, M., Asou, H. and Uyemura, K.
Molecular cloning of cell adhesion molecule L1 from human nervous tissue: a comparison of the primary sequences of L1 molecules of different origin (1090) 238
Kojima, M., see Tada, M. (1090) 29
Komiyama, T., see Sakajo, S. (1090) 102
Kousvelari, E., see Yeh, C.-K. (1090) 173
Kraakman, L.S., Mager, W.H., Grootjans, J.J. and Planta, R.J.
Functional analysis of the promoter of the gene encoding the acidic ribosomal protein L45 in yeast (1090) 204
Krisinger, J., see Strom, M. (1090) 299
Kumazawa, Y., Schwartzbach, C.J., Liao, H.-X., Mizumoto, K., Kaziro, Y., Miura, K.-i., Watanabe, K. and Spremulli, L.L.
Interactions of bovine mitochondrial phenylalanyl-tRNA with ribosomes and elongation factors from mitochondria and bacteria (1090) 167

Lamers, W.H., see Van den Hoff, M.J.B. (1090) 249
Lecoq-Xhonneux, F., see Thiry, M. (1090) 345
Legname, G., Bellosta, P., Gromo, G., Modena, D., Keen, J.N., Roberts, L.M. and Lord, J.M.
Nucleotide sequence of cDNA coding for dianthin 30, a ribosome inactivating protein from *Dianthus caryophyllus* (1090) 119
Liao, H.-X., see Kumazawa, Y. (1090) 167
Lin, C.-L., see Chang, T. (1090) 261
Lin, K.-C., Campbell, A. and Shiuan, D.
Binding characteristics of *Escherichia coli* biotin repressor–operator complex (1090) 317
Lin, L.-Y., see Hung, S.-H. (1090) 255
Liu, L.-F. and Tam, M.F.
Nucleotide sequence of a class μ glutathione *S*-transferase from chicken liver (1090) 343
Lord, J.M., see Legname, G. (1090) 119
Lown, J.W., see Beerman, T.A. (1090) 52

Maciag, T., see Forough, R. (1090) 293
Mager, W.H., see Kraakman, L.S. (1090) 204
Martial, S., Ripoche, P. and Ibarra, C.
Functional expression of urea channels in amphibian oocytes injected with frog urinary bladder mRNA (1090) 86
Martiniuk, F., see Newgard, C.B. (1090) 333
Masibay, A.S., Damewood, G.P., Boeggeman, E. and Qasba, P.K.
Expression of β-1,4-galactosyltransferase gene during 3T3 cell growth (1090) 230
Maurer-Fogy, I., see Hiebl-Dirschmied, C.M. (1090) 123
McDonald, J.R., Ko, C., Mismer, D., Smith, D.J. and Collins, F.
Expression and characterization of recombinant human ciliary neurotrophic factor from *Escherichia coli* (1090) 70

McGraw, P., see Gaynor, P.M. (1090) 326
Meyer, A.L., Petrovskis, E.A., Duffus, W.P.H., Thomsen, D.R. and Post, L.E.
Cloning and sequence of an infectious bovine rhinotracheitis virus (BHV-1) gene homologous to glycoprotein H of herpes simplex virus (1090) 267
Middleton, P.G., Williamson, I.K., Taylor, J.J., Rowe, D. and Guy, K.
Burkitt lymphoma cell lines are prone to recombination in the switch region of the Igμ heavy chain locus (1090) 109
Minagawa, N., see Sakajo, S. (1090) 102
Minoura, Y., see Tada, M. (1090) 29
Mismer, D., see McDonald, J.R. (1090) 70
Miura, K.-i., see Kumazawa, Y. (1090) 167
Miura, M., see Kobayashi, M. (1090) 238
Mizumoto, K., see Kumazawa, Y. (1090) 167
Modena, D., see Legname, G. (1090) 119
Moorman, A.F.M., see Van den Hoff, M.J.B. (1090) 249
Mori, S., Izumi, S. and Tomino, S.
Complete nucleotide sequences of major plasma protein genes of *Bombyx mori* (1090) 129
Morimoto, R., see Fujita, H. (1090) 311
Morishita, H., Nakamura, N., Yamakawa, T., Ogino, H., Kanamori, T., Nobuhara, M. and Namba, M.
Stable expression of human tissue-type plasminogen activator regulated by β-actin promoter in three human cell lines: HeLa, WI-38 VA13 and KMS-5 (1090) 216
Morita, T., see Tada, M. (1090) 29

Nakamura, N., see Morishita, H. (1090) 216
Nakano, T. and Graf, T.
Goose-type lysozyme gene of the chicken: sequence, genomic organization and expression reveals major differences to chicken-type lysozyme gene (1090) 273
Namba, M., see Morishita, H. (1090) 216
Natori, S., see Hirai, H. (1090) 305
Nehls, U., see Preis, D. (1090) 133
Newgard, C.B., Norkiewicz, B., Hughes, S.D., Frenkel, R.A., Coats, W.S., Martiniuk, F. and Johnston, J.M.
Developmental expression of glycogenolytic enzymes in rabbit tissues: possible relationship to fetal lung maturation (1090) 333
Nobuhara, M., see Morishita, H. (1090) 216
Norkiewicz, B., see Newgard, C.B. (1090) 333

Ogino, H., see Morishita, H. (1090) 216
Ohno, K., Tanaka, M., Ino, H., Suzuki, H., Tashiro, M., Ibi, T., Sahashi, K., Takahashi, A. and Ozawa, T.
Direct DNA sequencing from colony: analysis of multiple deletions of mitochondrial genome (1090) 9
Ohsawa, N., see Shimano, H. (1090) 91
Ozawa, T., see Ohno, K. (1090) 9

Pearson, C.E., Frappier, L. and Zannis-Hadjopoulos, M.
Plasmids bearing mammalian DNA-replication origin-enriched (*ors*) fragments initiate semiconservative replication in a cell-free system (1090) 156
Persson, L., see Stjernborg, L. (1090) 188
Peterson, J.W., see Chopra, A.K. (1090) 351
Petrovskis, E.A., see Meyer, A.L. (1090) 267
Pfleger, B.A., see Srivastava, R.A.K. (1090) 95
Plagemann, P.G.W., see Woffendin, C. (1090) 81
Planta, R.J., see Kraakman, L.S. (1090) 204
Post, L.E., see Meyer, A.L. (1090) 267
Prasad, R., see Chopra, A.K. (1090) 351
Preis, D., Weidner, U., Conzen, C., Azevedo, J.E., Nehls, U., Röhlen, D., Van der Pas, J., Sackmann, U., Schneider, R., Werner, S. and Weiss, H.
Primary structures of two subunits of NADH: ubiquinone reductase from *Neurospora crassa* concerned with NADH-oxidation. Relationship to a soluble NAD-reducing hydrogenase of *Alcaligenes eutrophus* (1090) 133
Prohaska, R., see Hiebl-Dirschmied, C.M. (1090) 123
Pruijn, G.J.M., see Coenjaerts, F.E.J. (1090) 61

Qasba, P.K., see Masibay, A.S. (1090) 230

Rao, K.E., see Beerman, T.A. (1090) 52
Raskind, W., see Hromas, R. (1090) 241
Reale, A., see Caiafa, P. (1090) 38
Renard, A., see Thiry, M. (1090) 345
Retzel, E.F., see Woffendin, C. (1090) 81
Ripoche, P., see Martial, S. (1090) 86
Rispoli, M., see Caiafa, P. (1090) 38
Rizzuto, R., Sandonà, D., Capaldi, R.A. and Bisson, R.
Nucleotide sequence of a cDNA coding for the mitochondrial precursor protein of cytochrome *c* oxidase subunit IV from the slime mold *Dictyostelium discoideum* (1090) 125
Roberts, L.M., see Legname, G. (1090) 119
Röhlen, D., see Preis, D. (1090) 133
Rowe, D., see Middleton, P.G. (1090) 109

Sackmann, U., see Preis, D. (1090) 133
Sahashi, K., see Ohno, K. (1090) 9
Sakajo, S., Minagawa, N., Komiyama, T. and Yoshimoto, A.
Molecular cloning of cDNA for antimycin A-inducible mRNA and its role in cyanide-resistant respiration in *Hansenula anomala* (1090) 102
Sandonà, D., see Rizzuto, R. (1090) 125
Sassa, S., see Fujita, H. (1090) 311
Sato, S., see Shiratsuchi, A. (1090) 348
Sauer, K., see Green, S.R. (1090) 277
Scheit, K.H., see Bräuer, C. (1090) 259
Schneider, R., see Preis, D. (1090) 133
Schonfeld, G., see Srivastava, R.A.K. (1090) 95
Schwartzbach, C.J., see Kumazawa, Y. (1090) 167
Sekimizu, K., see Hirai, H. (1090) 305
Shibahara, S., see Fujita, H. (1090) 311
Shimada, M., see Shimano, H. (1090) 91
Shimano, H., Yamada, N., Shimada, M., Ohsawa, N., Fukazawa, C., Yazaki, Y., Takaku, F. and Katsuki, M.
Hepatic and renal expression of rat apolipoprotein E under control of the metallothionein promotor in transgenic mice (1090) 91
Shiratsuchi, A. and Sato, S.
Nucleotide sequence of *trpE*, anthranilate synthase I gene, of *Bacillus caldotenax* (1090) 348
Shiuan, D., see Lin, K.-C. (1090) 317
Sigmund, R.D., see Beerman, T.A. (1090) 52
Singh, B., see Ahmad, S. (1090) 252
Smith, D.J., see McDonald, J.R. (1090) 70
Spremulli, L.L., see Kumazawa, Y. (1090) 167
Srivastava, R.A.K., Pfleger, B.A. and Schonfeld, G.
Expression of LDL receptor, apolipoprotein B, apolipoprotein A-I and apolipoprotein A-IV mRNA in various mouse organs as determined by a novel RNA-excess solution hybridization assay (1090) 95
Staskus, K., see Woffendin, C. (1090) 81
Stjernborg, L., Heby, O., Holm, I. and Persson, L.
On the translational control of ornithine decarboxylase expression by polyamines (1090) 188
Storch, T.G., see Sullivan, D.E. (1090) 17
Stratowa, C., see Hiebl-Dirschmied, C.M. (1090) 123

Strom, M., Krisinger, J. and DeLuca, H.F.
Isolation of a mRNA that encodes a putative intestinal alkaline phosphatase regulated by 1,25-dihydroxyvitamin D-3 (1090) 299
Strom, R., see Caiafa, P. (1090) 38
Sullivan, D.E. and Storch, T.G.
Tissue- and development-specific expression of HBGF-1 mRNA (1090) 17
Summers, E.F., see Gaynor, P.M. (1090) 326
Suzuki, H., see Ohno, K. (1090) 9
Suzuki, M., see Tada, M. (1090) 29

Tada, M., Ikeda, S., Suzuki, M., Minoura, Y., Kojima, M. and Morita, T.
Spectrophotometrical and immunochemical studies on the conformational changes in poly(dG-dC) · poly(dG-dC) after modification by 4-hydroxyaminoquinoline 1-oxide (1090) 29
Tager, J.M., see Bout, A. (1090) 43
Takahashi, A., see Ohno, K. (1090) 9
Takahashi, N., see Hirai, H. (1090) 305
Takaku, F., see Shimano, H. (1090) 91
Tam, M.F., see Liu, L.-F. (1090) 343
Tanaka, M., see Ohno, K. (1090) 9
Tashiro, M., see Ohno, K. (1090) 9
Taylor, J.J., see Middleton, P.G. (1090) 109
Tetsuka, T., see Tominaga, S.-i. (1090) 1
Thiry, M., Lecoq-Xhonneux, F., Dheur, I., Renard, A. and De Kinkelin, P.
Sequence of a cDNA carrying the glycoprotein gene and part of the matrix protein M2 gene of viral haemorrhagic scepticaemia virus, a fish rhabdovirus (1090) 345
Thompson, J.A., see Forough, R. (1090) 293
Thomsen, D.R., see Meyer, A.L. (1090) 267
Tominaga, S.-i., Jenkins, N.A., Gilbert, D.J., Copeland, N.G. and Tetsuka, T.
Molecular cloning of the murine ST2 gene. Characterization and chromosomal mapping (1090) 1
Tomino, S., see Mori, S. (1090) 129
Toutenhoofd, S., see Gaynor, P.M. (1090) 326
Tuite, M.F., see Green, S.R. (1090) 277

Uyemura, K., see Kobayashi, M. (1090) 238

Van den Hoff, M.J.B., Geerts, W.J.C., Das, A.T., Moorman, A.F.M. and Lamers, W.H.
cDNA sequence of the long mRNA for human glutamine synthase (1090) 249
Van der Lugt, N.M.T., see Coenjaerts, F.E.J. (1090) 61
Van der Pas, J., see Preis, D. (1090) 133
Van der Vliet, P.C., see Coenjaerts, F.E.J. (1090) 61
Van Driel, W., see Coenjaerts, F.E.J. (1090) 61
Vassart, G., see Donda, A. (1090) 235

Wani, A.A. and Arezina, J.
Immunoanalysis of ultraviolet radiation induced DNA damage and repair within specific gene segments of plasmid DNA (1090) 195
Watanabe, K., see Kumazawa, Y. (1090) 167
Weidner, U., see Preis, D. (1090) 133
Weiss, H., see Preis, D. (1090) 133
Werner, S., see Preis, D. (1090) 133
Williamson, I.K., see Middleton, P.G. (1090) 109
Woffendin, C., Chen, Z., Staskus, K., Retzel, E.F. and Plagemann, P.G.W.
Mammalian mRNAs encoding protein closely related to ubiquitin-conjugating enzyme encoded by yeast DNA repair gene *RAD6* (1090) 81
Wong, M.-W., see Ho, W.K.K. (1090) 245
Woynarowski, J.M., see Beerman, T.A. (1090) 52

Yamada, N., see Shimano, H. (1090) 91
Yamagami, T., see Fujita, H. (1090) 311
Yamakawa, T., see Morishita, H. (1090) 216
Yamamoto, M., see Fujita, H. (1090) 311
Yaneva, M. and Jhiang, S.
Expression of the Ku protein during cell proliferation (1090) 181
Yazaki, Y., see Shimano, H. (1090) 91
Yeh, C.-K., Chinchetru, M.A. and Kousvelari, E.
Characteristics of c-*fos* and *jun* B gene expression in A5 cells after β-adrenoreceptor stimulation and during the cell cycle (1090) 173
Yoshimoto, A., see Sakajo, S. (1090) 102
Yoshinaga, T., see Fujita, H. (1090) 311
Yu, C.-W., see Hung, S.-H. (1090) 255

Zannis-Hadjopoulos, M., see Pearson, C.E. (1090) 156